1 ⟨OT2wncyr⟩\ProvidesFile{ot2wncyr.fd}
2 ⟨OT2wncyss⟩\ProvidesFile{ot2wncyss.fd}
3 ⟨OT2wlcyr⟩\ProvidesFile{ot2wlcyr.fd}
4 ⟨OT2wlcyss⟩\ProvidesFile{ot2wlcyss.fd}
5 [1999/12/17 v3.2a Computer Modern Cyrillic font definitions]

1 Computer Modern Roman in `OT2` encoding

These fonts are from the University of Washington.

```
 6 ⟨*OT2wncyr⟩
 7 \DeclareFontFamily{OT2}{wncyr}{\hyphenchar\font45 }
 8 ⟨*pdftex⟩
 9 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
10 \DeclareFontShape{OT2}{wncyr}{m}{n}{<->wncyr10}{}
11 \DeclareFontShape{OT2}{wncyr}{m}{it}{<->wncyi10}{}
12 \DeclareFontShape{OT2}{wncyr}{m}{sc}{<->wncysc10}{}
13 \DeclareFontShape{OT2}{wncyr}{b}{n}{<->wncyb10}{}
14 \else
15 ⟨/pdftex⟩
16 \DeclareFontShape{OT2}{wncyr}{m}{n}{%
17   <5><6><7><8><9>gen*wncyr%
18   <10><10.95><12><14.4><17.28><20.74><24.88>wncyr10}{}
19 \DeclareFontShape{OT2}{wncyr}{m}{it}{%
20   <5><6><7><8><9>gen*wncyi%
21   <10><10.95><12><14.4><17.28><20.74><24.88>wncyi10}{}
22 \DeclareFontShape{OT2}{wncyr}{m}{sc}{%
23   <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wncysc10}{}
24 \DeclareFontShape{OT2}{wncyr}{b}{n}{%
25   <5><6><7><8><9>gen*wncyb%
26   <10><10.95><12><14.4><17.28><20.74><24.88>wncyb10}{}
27 ⟨pdftex⟩\fi
28 \DeclareFontShape{OT2}{wncyr}{bx}{n}{<->ssub*wncyr/b/n}{}
29 ⟨/OT2wncyr⟩
```

2 Computer Modern Sans in `OT2` encoding

```
30 ⟨*OT2wncyss⟩
31 \DeclareFontFamily{OT2}{wncyss}{\hyphenchar\font45 }
32 ⟨*pdftex⟩
33 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
34 \DeclareFontShape{OT2}{wncyss}{m}{n}{<->wncyss10}{}
35 \else
36 ⟨/pdftex⟩
37 \DeclareFontShape{OT2}{wncyss}{m}{n}{%
38   <5><6><7><8>wncyss8<9>wncyss9%
39   <10><10.95><12><14.4><17.28><20.74><24.88>wncyss10}{}
40 ⟨pdftex⟩\fi
41 ⟨/OT2wncyss⟩
```

3 Virtual WLCY fonts without ligatures

```
42 ⟨*OT2wlcyr⟩
43 \DeclareFontFamily{OT2}{wlcyr}{\hyphenchar\font45 }
44 ⟨*pdftex⟩
45 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
46 \DeclareFontShape{OT2}{wlcyr}{m}{n}{<->wlcyr10}{}
47 \DeclareFontShape{OT2}{wlcyr}{m}{it}{<->wlcyi10}{}
48 \DeclareFontShape{OT2}{wlcyr}{m}{sc}{<->wlcysc10}{}
49 \DeclareFontShape{OT2}{wlcyr}{b}{n}{<->wlcyb10}{}
50 \else
51 ⟨/pdftex⟩
```

```
52 \DeclareFontShape{OT2}{wlcyr}{m}{n}{%
53    <5><6><7><8><9>gen*wlcyr%
54    <10><10.95><12><14.4><17.28><20.74><24.88>wlcyr10}{}
55 \DeclareFontShape{OT2}{wlcyr}{m}{it}{%
56    <5><6><7><8><9>gen*wlcyi%
57    <10><10.95><12><14.4><17.28><20.74><24.88>wlcyi10}{}
58 \DeclareFontShape{OT2}{wlcyr}{m}{sc}{%
59    <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wlcysc10}{}
60 \DeclareFontShape{OT2}{wlcyr}{b}{n}{%
61    <5><6><7><8><9>gen*wlcyb%
62    <10><10.95><12><14.4><17.28><20.74><24.88>wlcyb10}{}
63 ⟨pdftex⟩\fi
64 \DeclareFontShape{OT2}{wlcyr}{bx}{n}{<->ssub*wlcyr/b/n}{}
65 ⟨/OT2wlcyr⟩

66 ⟨*OT2wlcyss⟩
67 \DeclareFontFamily{OT2}{wlcyss}{\hyphenchar\font45 }
68 ⟨*pdftex⟩
69 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
70 \DeclareFontShape{OT2}{wlcyss}{m}{n}{<->wlcyss10}{}
71 \else
72 ⟨/pdftex⟩
73 \DeclareFontShape{OT2}{wlcyss}{m}{n}{%
74    <5><6><7><8>wlcyss8<9>wlcyss9%
75    <10><10.95><12><14.4><17.28><20.74><24.88>wlcyss10}{}
76 ⟨pdftex⟩\fi
77 ⟨/OT2wlcyss⟩
```